# **BUILDING PROFILES FOR PROFESSIONALS**

# **TECHNICAL DATA SHEET**



## **PVC HOLDING J PROFILE**

#### Intended use:

The J-profile is used to protect the edges of plasterboards in interior drywall systems.

## **Product description:**


Profile in the shape of a C-section adjusted in size to the thickness of the plasterboards.

#### Material:

PVC (polyvinyl chloride) - a synthetic polymer used to produce plastics. It is characterized by flexibility and mechanical strength. Thanks to special additives, the material used is resistant to weather conditions, e.g. UV rays. The material used does not contain any plasticizers with lead.


#### Application:

The profile should be cut to the desired length. Install on the edges of the plasterboard before screwing them to the steel structure. The profile should be protected against scratches and damage occurring during the construction process.



Functional graphics for product PVC J.

## **Technical sketch:**



symbol	PVC J
material	PVC
dimension A	15,5 mm
dimension B	15 mm
dimension C	0,95 mm
angle $\alpha$	88°
weight per linear meter	49 g
package (pcs)	50
wooden box (pcs)	6 000
pallet (pcs)	7 700

Released on February 15, 2024

This update invalidates all previous versions of this data sheet. Product dimensions and weights quoted are nominal and may be within permitted manufacturing tolerances.